

● PRINTER RUSH ●

(PTO ASSISTANCE)

SF
HC

Application : <u>09716016</u>	Examiner : <u>LEADER</u>	GAU : <u>1742</u>
From: <u>AS</u>	Location: IDC <u>FMF</u> FDC	Date: <u>2/11/05</u>

Tracking #: Week Date:

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input checked="" type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

PTO-948 :

[RUSH] MESSAGE: Notice Regarding Drawings: The 10-27-04 Notice Regarding Drawings has wrong Serial Number and wrong address. Please resolve.

Thank You

[XRUSH] RESPONSE: There does not appear to be any 10/27/04 PTO 948 in the file. See the attached EDAN and PPLM printouts. Perhaps the PTO 948 with the wrong serial number and wrong address belongs in the file with that serial number.

INITIALS: Wh

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
REV 10/04